

## Smuxi - Bug # 398: Connecting with empty realname field fails

<b>Status:</b>	Closed	<b>Priority:</b>	Normal
<b>Author:</b>	Mirco Bauer	<b>Category:</b>	Engine IRC
<b>Created:</b>	07/17/2010	<b>Assigned to:</b>	Mirco Bauer
<b>Updated:</b>	07/17/2010	<b>Due date:</b>	
<b>Complexity:</b>	Low		
<b>Subject:</b>	Connecting with empty realname field fails		
<b>Description:</b>	Connecting to an IRCd using an empty realname field might lead to an error as the server enforces a non-empty field. Here is an transcript of such case: <pre>&lt;pre&gt; 00:03 -!- Verbinde zu irc.oftc.net Port 6667... 00:04 -!- Verbindung zu irc.oftc.net ist hergestellt 00:04 -!- Anmelden... 00:04 - (@)- *** Looking up your hostname... 00:04 - (@)- *** Checking Ident 00:04 - (@)- *** Found your hostname 00:04 - (@)- *** No Ident response 00:04 -!- Nick nh2 wird bereits verwendet 00:04 [461 (ErrorNeedMoreParams) USER] Not enough parameters &lt;/pre&gt;</pre>		

### Associated revisions

#### 07/17/2010 10:29 PM - Niklas Hambüchen

Added empty realname check (closes: #398)

Signed-off-by: Mirco Bauer <meebey@meebey.net>

### History

#### 07/17/2010 10:23 PM - Mirco Bauer

More details from the reporter:

```
<pre>
23:56:43 <nh2> meebey: smuxi can't connect to IRC servers if the real name is empty
23:56:52 <nh2> http://tools.ietf.org/html/rfc2812#section-3.1.3 is not clear about that
23:58:05 <nh2> we get a irc 461 error from most networks in this case, so I think the real name should not be empty
23:58:36 <nh2> meebey: something like this works for me:
http://gitorious.org/~nh2/smuxi/nh2s-smuxi/commit/c866f622ae3f3a9257f7b0f10a66d57dd1649447
</pre>
```

#### 07/17/2010 10:32 PM - Anonymous

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset commit:"c315eeb27ce6432321447f3e5da27d2857f6de8c".