

Smuxi - Feature # 548: Support for SAFELIST (RPL_ISUPPORT)

Status:	Closed	Priority:	Normal
Author:	Mirco Bauer	Category:	Engine IRC
Created:	11/23/2010	Assigned to:	Mirco Bauer
Updated:	12/25/2011	Due date:	
Complexity:	Medium		
Subject:	Support for SAFELIST (RPL_ISUPPORT)		
Description:	<p>Smuxi is showing a warning if the user is doing a channel search without specifying any search terms as the IRCd might kick the user because of excess flood. This warning can be avoided by checking for the SAFELIST key of the RPL_ISUPPORT line as seen here:</p> <pre><pre> 3.15 SAFELIST o SAFELIST The SAFELIST parameter indicates that the client may request a "LIST" command from the server, without being disconnected due to the large amount of data generated by the command. The SAFELIST token must not be specified with a value. The default value for the SAFELIST token is none; that is, the client may not safely request a LIST command. </pre> http://tools.ietf.org/html/draft-brocklesby-irc-isupport-03#section-3.15</pre>		

Associated revisions

12/25/2011 02:11 PM - Mirco Bauer

[Engine-IRC/Frontend-GNOME] Implemented channel list cache with SAFELIST and ELIST support (closes: #548, #655)

History

12/25/2011 02:08 PM - Mirco Bauer

- Target version changed from 0.10 to 0.8.9

12/25/2011 02:12 PM - Mirco Bauer

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset commit:"7a21a666d7e9962e9d6fd274112292fbedf768d2".