

## Smuxi Issues [FROZEN ARCHIVE] - Feature # 551: Set PATH before starting Smuxi on Windows

<b>Status:</b>	Closed	<b>Priority:</b>	Normal
<b>Author:</b>	Mirco Bauer	<b>Category:</b>	Frontend GNOME
<b>Created:</b>	11/29/2010	<b>Assigned to:</b>	Mirco Bauer
<b>Updated:</b>	11/06/2011	<b>Due date:</b>	
<b>Complexity:</b>			
<b>Subject:</b>	Set PATH before starting Smuxi on Windows		
<b>Description:</b>	From time to time Smuxi users report issues starting Smuxi on Windows after installation. If the user has a GTK+ besides the GTK# install in the PATH then Smuxi will fail to start as GTK# will try to load the libraries from the GTK+ install and fails. As Smuxi knows where GTK# is installed (as it checks the registry for it) it can create a start script which sets PATH automatically to the right location.		

### Associated revisions

**11/06/2011 05:36 PM - Mirco Bauer**

[Frontend-GNOME] Prepend GTK# to PATH on Windows (closes: #551)

GTK# on Windows relies to load the GTK+ libraries from the right location via the PATH which it extends during the install. This works just fine as long as PATH is not including any other GTK+ library paths. For this reason we simply prepend the GTK#'s library path to the PATH environment variable when running on Windows.

### History

**10/16/2011 12:44 PM - Mirco Bauer**

- Assigned to deleted (Mirco Bauer)

**11/06/2011 05:39 PM - Mirco Bauer**

- Category changed from Windows Installer to Frontend GNOME

- Assigned to set to Mirco Bauer

**11/06/2011 05:47 PM - Mirco Bauer**

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset commit:"1ea976803f8e5f98f9229a674604bfb9883e4cc4".