

## Smuxi - Feature # 597: Sync config cache when connecting to smuxi-server

<b>Status:</b>	Closed	<b>Priority:</b>	Normal
<b>Author:</b>	Mirco Bauer	<b>Category:</b>	Frontend GNOME
<b>Created:</b>	05/19/2011	<b>Assigned to:</b>	Mirco Bauer
<b>Updated:</b>	12/08/2011	<b>Due date:</b>	
<b>Complexity:</b>	High		
<b>Subject:</b>	Sync config cache when connecting to smuxi-server		
<b>Description:</b>	Right now the config cache gets populated when keys are requested which are not yet cached. This means that each requested uncached key will make a remoting call. The worst case is when all keys are requested, say when the user open the preferences dialog. If Smuxi would pre-populate (sync) the complete config when connecting to the smuxi-server then there would be no load time at all.		

### Associated revisions

12/08/2011 04:01 AM - Mirco Bauer

[Engine/Frontend-GNOME] Sync config cache (closes: #597)

### History

12/07/2011 05:35 PM - Mirco Bauer

- Target version changed from 0.10 to 0.8.9
- Complexity changed from Low to High

12/08/2011 04:02 AM - Mirco Bauer

- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset commit:"989c016a7b2b6312e5a0feff42ad2663738e7759".