

Smuxi - Bug # 709: System.ArgumentNullException during connect to remote engine

Status:	New	Priority:	Normal
Author:	Bianca Mix	Category:	Server
Created:	04/10/2012	Assigned to:	Mirco Bauer
Updated:	05/11/2013	Due date:	
Complexity:			
Found in Version: Git; Frontend+Server 186d808			
Subject: System.ArgumentNullException during connect to remote engine			
Description:	<pre><pre> Exception Type: System.ArgumentNullException Exception Message: null key Parameter name: key Exception StackTrace: at System.Collections.Hashtable.get_Item (System.Object key) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.SerializationCallbacks.GetSerializationCallbacks (System.Type t) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.ObjectManager.RaiseOnDeserializingEvent (System.Object obj) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectContent (System.IO.BinaryReader reader, System.Runtime.Serialization.Formatters.Binary.TypeMetadata metadata, Int64 objectId, System.Object& objectInstance, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectInstance (System.IO.BinaryReader reader, Boolean isRuntimeObject, Boolean hasTypeInfo, System.Int64& objectId, System.Object& value, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element, System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element, System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadNextObject (System.IO.BinaryReader reader) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph (BinaryElement elem, System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result, System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph (System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result, System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse (BinaryElement elem, System.IO.BinaryReader reader, Boolean hasHeaders, System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000] in <filename unknown>:0 at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse (System.IO.BinaryReader reader, Boolean hasHeaders, System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage</pre>		

```
methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000]
in <filename unknown>:0
    at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.NoCheckDeserializeMethodResponse
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0
        at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.DeserializeMethodResponse
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0
            at System.Runtime.Remoting.Channels.BinaryClientFormatterSink.SyncProcessMessage (IMessage msg)
[0x00000] in <filename unknown>:0

Exception.ToString():
System.ArgumentNullException: null key
Parameter name: key

Server stack trace:
at System.Collections.Hashtable.get_Item (System.Object key) [0x00000] in <filename unknown>:0
    at System.Runtime.Serialization.SerializationCallbacks.GetSerializationCallbacks (System.Type t)
[0x00000] in <filename unknown>:0
    at System.Runtime.Serialization.ObjectManager.RaiseOnDeserializingEvent (System.Object obj) [0x00000]
in <filename unknown>:0
        at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectContent
(System.IO.BinaryReader reader, System.Runtime.Serialization.Formatters.Binary.TypeMetadata metadata,
Int64 objectId, System.Object& objectInstance, System.Runtime.Serialization.SerializationInfo& info)
[0x00000] in <filename unknown>:0
            at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectInstance
(System.IO.BinaryReader reader, Boolean isRuntimeObject, Boolean hasTypeInfo, System.Int64& objectId,
System.Object& value, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename
unknown>:0
                at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element,
System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value,
System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0
                    at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element,
System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value,
System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0
                        at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadNextObject
(System.IO.BinaryReader reader) [0x00000] in <filename unknown>:0
                            at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph (BinaryElement elem,
System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result,
System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0
                                at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph
(System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result,
System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0
                                    at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse
(BinaryElement elem, System.IO.BinaryReader reader, Boolean hasHeaders,
System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage
methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000]
in <filename unknown>:0
                                        at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse
(System.IO.BinaryReader reader, Boolean hasHeaders,
System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage
methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000]
in <filename unknown>:0
```

```
    at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.NoCheckDeserializeMethodResponse  
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,  
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0  
        at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.DeserializeMethodResponse  
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,  
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0  
    at System.Runtime.Remoting.Channels.BinaryClientFormatterSink.SyncProcessMessage (IMessage msg)  
[0x00000] in <filename unknown>:0
```

Exception rethrown at [0]:

```
at System.Collections.Hashtable.get_Item (System.Object key) [0x00000] in <filename unknown>:0  
    at System.Runtime.Serialization.SerializationCallbacks.GetSerializationCallbacks (System.Type t)  
[0x00000] in <filename unknown>:0  
    at System.Runtime.Serialization.ObjectManager.RaiseOnDeserializingEvent (System.Object obj) [0x00000]  
in <filename unknown>:0  
        at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectContent  
(System.IO.BinaryReader reader, System.Runtime.Serialization.Formatters.Binary.TypeMetadata metadata,  
Int64 objectId, System.Object& objectInstance, System.Runtime.Serialization.SerializationInfo& info)  
[0x00000] in <filename unknown>:0  
            at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectInstance  
(System.IO.BinaryReader reader, Boolean isRuntimeObject, Boolean hasTypeInfo, System.Int64& objectId,  
System.Object& value, System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename  
unknown>:0  
            at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element,  
System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value,  
System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0  
            at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObject (BinaryElement element,  
System.IO.BinaryReader reader, System.Int64& objectId, System.Object& value,  
System.Runtime.Serialization.SerializationInfo& info) [0x00000] in <filename unknown>:0  
                at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadNextObject  
(System.IO.BinaryReader reader) [0x00000] in <filename unknown>:0  
                at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph (BinaryElement elem,  
System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result,  
System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0  
                    at System.Runtime.Serialization.Formatters.Binary.ObjectReader.ReadObjectGraph  
(System.IO.BinaryReader reader, Boolean readHeaders, System.Object& result,  
System.Runtime.Remoting.Messaging.Header[]& headers) [0x00000] in <filename unknown>:0  
                    at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse  
(BinaryElement elem, System.IO.BinaryReader reader, Boolean hasHeaders,  
System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage  
methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000]  
in <filename unknown>:0  
                    at System.Runtime.Serialization.Formatters.Binary.MessageFormatter.ReadMethodResponse  
(System.IO.BinaryReader reader, Boolean hasHeaders,  
System.Runtime.Remoting.Messaging.HeaderHandler headerHandler, IMethodCallMessage  
methodCallMessage, System.Runtime.Serialization.Formatters.Binary.BinaryFormatter formatter) [0x00000]  
in <filename unknown>:0  
    at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.NoCheckDeserializeMethodResponse  
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,  
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0  
        at System.Runtime.Serialization.Formatters.Binary.BinaryFormatter.DeserializeMethodResponse  
(System.IO.Stream serializationStream, System.Runtime.Remoting.Messaging.HeaderHandler handler,  
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0
```

```
IMethodCallMessage methodCallMessage) [0x00000] in <filename unknown>:0  
    at System.Runtime.Remoting.Channels.BinaryClientFormatterSink.SyncProcessMessage (IMessage msg)  
    [0x00000] in <filename unknown>:0
```

```
</pre>
```

History

04/10/2012 08:45 PM - Mirco Bauer

- Category set to Server

04/10/2012 08:45 PM - Mirco Bauer

- Subject changed from *System.ArgumentNullException* during connect to remote engine to *System.ArgumentNullException* during connect to remote engine

05/26/2012 04:42 PM - Mirco Bauer

I believe this issue is a bug in Mono's .NET Remoting implementation

05/11/2013 01:55 PM - Bianca Mix

Same exception occurred today again.