


```
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
</iq>

</pre>
```

Associated revisions

10/18/2013 04:04 PM - Oliver Schneider

[lib/agsxmpp] prevent service-unavailable iq loop with the server (closes: #889)

History

10/18/2013 01:03 PM - Andrés G. Aragonese

- File out.txt added

Attaching log file of what gets outputted in the terminal (when using "make run") when connecting to hipchat and getting the loop.

10/18/2013 01:20 PM - Andrés G. Aragonese

new log:

```
<pre>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
</iq>
13:19 WRITE:
<iq id="agsXMPP_4" type="error" from="13856_351305@chat.hipchat.com/smuxi">
  <bind xmlns="urn:ietf:params:xml:ns:xmpp-bind">
    <jid>13856_351305@chat.hipchat.com/smuxi</jid>
  </bind>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error type="cancel">
    <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
```



```

</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error type="cancel">
  <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
<error code="501" type="cancel">
  <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
</error>
</iq>
13:19 WRITE:
<iq id="agsXMPP_4" type="error" from="13856_351305@chat.hipchat.com/smuxi">
  <bind xmlns="urn:ietf:params:xml:ns:xmpp-bind">
    <jid>13856_351305@chat.hipchat.com/smuxi</jid>
  </bind>
  <error type="cancel">
    <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error type="cancel">
    <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error type="cancel">
    <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error type="cancel">
    <service-unavailable xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
  <error code="501" type="cancel">
    <feature-not-implemented xmlns="urn:ietf:params:xml:ns:xmpp-stanzas" />
  </error>
</iq>

```


</iq>
</pre>

10/20/2013 12:37 PM - Oliver Schneider

- *Status changed from New to Closed*
- *% Done changed from 0 to 100*

Applied in changeset commit:"05c3ece2f373baa59f6d080368b6526ee4003622".

12/20/2013 05:27 AM - Mirco Bauer

- *Target version changed from 26 to 0.10*

Files

out.txt	138.8 KB	10/18/2013	Andrés G. Aragonese
---------	----------	------------	---------------------