Smuxi Issues [FROZEN ARCHIVE] - Feature # 975: Low-bandwidth mode should prompt to download any im

| Status: | New | Priority: Normal |
|--------------|---|------------------|
| Author: | Andrés G. Aragoneses | Category: |
| Created: | 07/15/2014 | Assigned to: |
| Updated: | 05/14/2015 | Due date: |
| Complexity: | | |
| Subject: | Low-bandwidth mode should prompt to download any important buffers | |
| Description: | When you're in a low-bandwidth situation, you want to use Smuxi in low bandwidth mode, but this means | |
| | that you miss any pings/mentions or private messages that were sent to you to smuxi's server while you | |
| | were away. | |
| | In low-bandwidth mode, smuxi-server should at least store in a flag whether there were pings/mentions/privateChats in the previous session, and if they were, Smuxi GUI should ask if they should | |
| | be retrieved (but in case the user chooses to retrieve them, it would only retrieve the buffers from the | |
| | channels were the user was pinged/mentioned, not all of them). | |

History

05/14/2015 09:00 AM - Mirco Bauer

This is an very interesting feature idea. The Smuxi engine could provide a filtered list of messages that contain highlights via ChatModel.Highlights which walks through unseen messages via MessageBuffer or Messages.

05/14/2015 09:01 AM - Mirco Bauer

But I wouldn't prompt for it, I doubt people will have that much highlights that it defeats the purpose of the "low banwidth mode".

Alternative would be to do the same thing as described above using a command: /highlights or so

07/23/2025 1/1