

Smuxi Issues [FROZEN ARCHIVE] - Bug # 1011: Unclear information how to install only server

Status:	New	Priority:	Normal
Author:	Andre n	Category:	Website
Created:	01/05/2015	Assigned to:	Mirco Bauer
Updated:	01/05/2015	Due date:	
Complexity:			
Found in Version:			
Subject:	Unclear information how to install only server		
Description:	<p>Neither in Download (HOW TO GET) or the FAQ page there is information what to install if i just want install certain components.</p> <p>A valid szenario for these would be to install on the server only the engine with its protocols and not the frontends (at least not the GUI)</p> <p>After installing smuxi-engine on wheezy from pbo with the following command:</p> <pre><pre> apt-get -t wheezy-backports install smuxi-engine </pre></pre> <p>there are still a plenty of packages difference to the smuxi meta-package:</p> <pre><pre></pre> <p>Suggested packages:</p> <pre>aspell-doc spellutils ispell emacsen-common jed-extra gconf-defaults-service hunspell openoffice.org-hunspell openoffice.org-core libasound2-plugins libcanberra-gtk0 libcanberra-pulse libenchant-voikko libgd-tools monodoc-gtk2.0-manual gphoto2 gtkam gvfs avahi-daemon hpoj hplip unpaper</pre> <p>The following packages will be REMOVED:</p> <pre>libgd2-noxpm</pre> <p>The following NEW packages will be installed:</p> <pre>acl aspell aspell-en colord consolekit dbus-x11 dconf-gsettings-backend dconf-service dictionaries-common enchant gconf-service gconf2 gconf2-common hunspell-en-us libasound2 libaspell15 libatk1.0-0 libatk1.0-data libcairo-gobject2 libcanberra-gtk3-0 libcanberra-gtk3-module libcanberra0 libck-connector0 libcolor1 libdbus-glib-1-2 libdbus-glib1.0-cil libdbus1.0-cil libdbusmenu-glib4 libdconf0 libenchant1c2a libfile-copy-recursive-perl libgconf-2-4 libgd2-xpm libglade2-0 libglade2.0-cil libglib2.0-cil libgphoto2-2 libgphoto2-I10n libgphoto2-port0 libgtk-3-0 libgtk-3-bin libgtk-3-common libgtk2.0-0 libgtk2.0-bin libgtk2.0-cil libgtk2.0-common libgtksPELL0 libgudev-1.0-0 libgusb2 libhunspell-1.3-0 libieee1284-3 libindicate0.1-cil libindicate5 libmono-cairo4.0-cil libnotify0.4-cil libogg0 libpam-ck-connector libpolkit-agent-1-0 libpolkit-backend-1-0 libpolkit-gobject-1-0 libsane libsane-common libsane-extras libsane-extras-common libudev1 libv4l-0 libv4lconvert0 libvorbis0a libvorbisfile3 libxcomposite1 libxcursor1 libxdamage1 libxfixes3 libxi6 libxinerama1 libxrandr2 notification-daemon policykit-1 psmisc sane-utils smuxi smuxi-frontend-gnome ssh-askpass-gnome update-inetd</pre> <p>The following packages will be upgraded:</p> <pre>udev</pre> <p>1 upgraded, 84 newly installed, 1 to remove and 53 not upgraded. Need to get 23.8 MB/26.8 MB of archives. After this operation, 113 MB of additional disk space will be used.</p> <pre></pre></pre> <p>it is also not obvious what the difference between the certain frontend nor how to get them properly without all</p>		

History
