

Smuxi Issues [FROZEN ARCHIVE] - Bug # 1073: SQL: ERROR about MessageBuffer/PersistentSqlite/MaxCapacity

Status:	Closed	Priority:	Normal
Author:	Lex Black	Category:	Engine
Created:	07/14/2015	Assigned to:	Mirco Bauer
Updated:	07/14/2015	Due date:	
Complexity:	Low		
Found in Version:			
Subject:	SQL: ERROR about MessageBuffer/PersistentSqlite/MaxCapacity		
Description:	<p>Those error messages appear for me, when the connections are established:</p> <pre> 2015-07-14 17:37:53,885 [Threadpool worker] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:37:54,705 [Threadpool worker] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:37:54,986 [Threadpool worker] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:37:55,263 [Threadpool worker] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:37:58,034 [IrcProtocolManager (irc.darkmyst.org:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:06,466 [IrcProtocolManager (irc.oftc.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:06,874 [IrcProtocolManager (irc.oftc.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:08,499 [IrcProtocolManager (irc.euirc.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:13,897 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:14,694 [IrcProtocolManager (irc.euirc.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:15,440 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:15,722 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:16,020 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:16,361 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:16,737 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: MessageBuffer/PersistentSqlite/MaxCapacity 2015-07-14 17:38:16,765 [IrcProtocolManager (irc.euirc.net:6667) listener] ERROR Smuxi.Engine.UserConfig - get_Item[]: default value is null for key: </pre>		

```
MessageBuffer/PersistentSqlite/MaxCapacity
2015-07-14 17:38:17,153 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR
Smuxi.Engine.UserConfig - get_Item[]: default value is null for key:
MessageBuffer/PersistentSqlite/MaxCapacity
2015-07-14 17:38:17,477 [IrcProtocolManager (irc.freenode.net:6667) listener] ERROR
Smuxi.Engine.UserConfig - get_Item[]: default value is null for key:
MessageBuffer/PersistentSqlite/MaxCapacity
```

Is this caused by a default setting, or did I change something, that shouldn't be changed?

Associated revisions

07/14/2015 08:41 PM - Mirco Bauer

Engine: fixed MessageBuffer/PersistentSqlite/MaxCapacity log error (closes: #1073)

Accessing a config key without a default value is not valid config access, as each key must have a default value so no valid key will ever return null. This also caused ERROR log entries, to identify such incorrect config use.

History

07/14/2015 08:20 PM - Mirco Bauer

- *Category set to Engine*
- *Target version set to 1.0*
- *Complexity set to Low*

That is a bug in the config code of Smuxi and will be fixed :) it seems like I never added a default key for the SQLite backend

07/14/2015 08:20 PM - Mirco Bauer

- *Assigned to set to Mirco Bauer*

07/14/2015 08:56 PM - Mirco Bauer

- *Status changed from New to Closed*
- *% Done changed from 0 to 100*

Applied in changeset commit:"54522cfda32b73faf004ca4b9138c90f78c0b51c".