

Smuxi Issues [FROZEN ARCHIVE] - Feature # 220: Import configuration from irssi

Status:	New	Priority:	Normal
Author:	Mirco Bauer	Category:	Frontend GNOME
Created:	10/18/2009	Assigned to:	Mirco Bauer
Updated:	08/21/2010	Due date:	
Complexity:	Medium		
Subject:	Import configuration from irssi		
Description:	When starting Smuxi for the first time it should detect irssi settings and allow to import them. IRC server/networks, channels and possibly other settings should be imported.		

History

01/05/2010 02:53 AM - Mirco Bauer

- *Complexity set to Medium*

Not sure what format the irssi config file exactly is, but it doesn't look that simple to parse.

Example:

```
<pre>
servers = (
  { address = "irc.stealth.net"; chatnet = "IRCnet"; port = "6668"; },
  { address = "irc.efnet.org"; chatnet = "EFNet"; port = "6667"; },
  {
    address = "irc.undernet.org";
    chatnet = "Undernet";
    port = "6667";
  },
  { address = "irc.dal.net"; chatnet = "DALnet"; port = "6667"; },
  {
    address = "irc.quakenet.org";
    chatnet = "QuakeNet";
    port = "6667";
  },
  { address = "silc.silcnet.org"; chatnet = "SILC"; port = "706"; }
);
</pre>
```

08/21/2010 10:31 AM - Mirco Bauer

- *Target version changed from 0.8 to TBD*