

## Smuxi Issues [FROZEN ARCHIVE] - Bug # 254: Reconnect / exception if an user joins on an anonymous IRC

<b>Status:</b>	Closed	<b>Priority:</b>	High
<b>Author:</b>	Mirco Bauer	<b>Category:</b>	Other
<b>Created:</b>	12/25/2009	<b>Assigned to:</b>	Mirco Bauer
<b>Updated:</b>	12/28/2009	<b>Due date:</b>	
<b>Subject:</b>	Reconnect / exception if an user joins on an anonymous IRC channel		
<b>Description:</b>	<p>IRCnet supports an anonymous channel mode. This mode will make all people anonymous by replacing their real nickname, ident and host with fake ones. Sadly it replaces those with the same value for ALL channel users. This leads to an exception in the IRC library, like this:</p> <pre>&lt;pre&gt; 2009-12-25 22:01:51,288 [IrcProtocolManager (irc.fu-berlin.de:6667) listener] DEBUG CHANNELSYNCING - anonymous joins channel: !5IHOLtest123 2009-12-25 22:01:51,289 [IrcProtocolManager (irc.fu-berlin.de:6667) listener] ERROR Smuxi.Engine.IrcProtocolManager - _Run(): exception in _Listen() occurred! System.ArgumentException: Key duplication when adding: anonymous     at System.Collections.Hashtable.PutImpl (System.Object key, System.Object value, Boolean overwrite) [0x00137] in /tmp/build/mono-2.4.3+dfsg/mcs/class/corlib/System.Collections/Hashtable.cs:823     at System.Collections.Hashtable.Add (System.Object key, System.Object value) [0x00000] in /tmp/build/mono-2.4.3+dfsg/mcs/class/corlib/System.Collections/Hashtable.cs:466     at System.Collections.Hashtable+SyncHashtable.Add (System.Object key, System.Object value) [0x00012] in /tmp/build/mono-2.4.3+dfsg/mcs/class/corlib/System.Collections/Hashtable.cs:1231     at Meebey.SmartIrc4net.IrcClient._Event_JOIN (Meebey.SmartIrc4net.IrcMessageData ircdata) [0x00000]     at Meebey.SmartIrc4net.IrcClient._HandleEvents (Meebey.SmartIrc4net.IrcMessageData ircdata) [0x00000]     at Meebey.SmartIrc4net.IrcClient._Worker (System.Object sender, Meebey.SmartIrc4net.ReadLineEventArgs e) [0x00000]     at Meebey.SmartIrc4net.ReadLineEventHandler:invoke_void__this__object_ReadLineEventArgs (object,Meebey.SmartIrc4net.ReadLineEventArgs)     at Meebey.SmartIrc4net.IrcConnection.ReadLine (Boolean blocking) [0x00000]     at Meebey.SmartIrc4net.IrcConnection.Listen (Boolean blocking) [0x00000]     at Meebey.SmartIrc4net.IrcConnection.Listen () [0x00000]     at Smuxi.Engine.IrcProtocolManager._Listen () [0x00000] in /home/meebey/data/projects/c-sharp/smuxi/git/src/Engine-IRC/Protocols/Irc/IrcProtocolManager.cs:1599 &lt;/pre&gt;</pre> <p>As this exception is raised in the SmartIrc4net library, this bug / issue has to be handled in there.</p>		

### Associated revisions

**12/28/2009 09:22 PM - Mirco Bauer**

Added a workaround for a thrown NullReferenceException when a persons joins or parts an IRC channel who does not exist. (closes: #254)

### History

**12/28/2009 09:21 PM - Mirco Bauer**

Regardless of the exception root, Smuxi needs to deal with this situation too, as it manages it's own person list.

**12/28/2009 09:54 PM - Mirco Bauer**

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset commit:"b989aec69943ec2c8455e3925e6f754e2b3b95d3".