# Smuxi - Bug # 281: Race condition in PangoTools.ToMarkup

| | | | |
|---|---|---|---|
| **Status:** | Closed | **Priority:** | Immediate |
| **Author:** | David Paleino | **Category:** | Frontend GNOME |
| **Created:** | 01/07/2010 | **Assigned to:** | David Paleino |
| **Updated:** | 01/07/2010 | **Due date:** | 01/07/2010 |
| **Complexity:** | Low | | |
| **Subject:** | Race condition in PangoTools.ToMarkup | | |
| **Description:** | The for loop (the one building the string with the Pango Markup), relies on tags.Count. Inside the loop, there's tags.Pop(), which modified the contents of the stack. This means that the for loop effectively "catches" only the first half+1 of the elements in the Stack. | | |

## Associated revisions

**01/07/2010 05:45 PM - David Paleino**

Fix race condition in PangoTools.ToMarkup (closes: #281)


Also, use List<> instead of Stack<>, since there's no point in having

a Stack anymore.


Signed-off-by: Mirco Bauer <meebey@meebey.net>

## History

**01/07/2010 05:13 PM - David Paleino**

*- % Done changed from 0 to 100*

*- 1 set to fixed*

http://gitorious.org/~dpaleino/smuxi/dpaleino-smuxi/commit/beeb5f20c37f172e8a7ed4637ed4e948a549c3b0


**01/07/2010 05:47 PM - David Paleino**

*- Status changed from New to Closed*

Applied in changeset commit:"4717e91e29c48c02448deb4829b8656b8700b5da".