

Smuxi - Feature # 472: Theme sensitive application icon

Status:	Closed	Priority:	Normal
Author:	Dag Odenhall	Category:	Frontend GNOME
Created:	09/06/2010	Assigned to:	Mirco Bauer
Updated:	12/29/2011	Due date:	
Complexity:	Medium		
Subject:	Theme sensitive application icon		
Description:	If a (GNOME) theme provides an application icon for Smuxi, it should be used in place of the canonical one wherever applicable.		

Associated revisions

12/03/2011 01:00 PM - Mirco Bauer

[Frontend-GNOME] Load PNG instead of SVG images, honor GTK+ icon themes and install icons into correct places

- Only load pre-scaled PNG image files in Smuxi so the SVG pixbuf loader for GDK is no longer needed. (closes: #230, #304)
- Load icons using Gtk.IconTheme to honor GTK+ icon themes. (closes: #472)
- Install SVG and PNGs into correct locations as per GNOME Goal: Install theme-friendly icons [0]. (closes: #503)

[0]: <http://live.gnome.org/GnomeGoals/ApplyIcon>

History

09/06/2010 08:24 PM - Mirco Bauer

- *Tracker changed from Bug to Feature*

09/06/2010 08:24 PM - Mirco Bauer

- *Category changed from Frontend Curses to Frontend GNOME*
- *Complexity set to Medium*

09/07/2010 04:03 PM - Dag Odenhall

This already works if the theme provides an icon for `smuxi-frontend-gnome.svg`. I think a best practice is to leave out the extension in the .desktop however; example from Empathy:

```
<pre>Icon=empathy</pre>
```

Screenshots: http://imgur.com/a/ld0KJ/smuxi_faenza_icons

Remaining issues: The Notification Area icon is not affected by the theme.

09/07/2010 04:21 PM - Dag Odenhall

Just realized the tab icons ignore the theme as well. Using Gtk stock icons should solve this.

09/10/2010 11:17 AM - Dag Odenhall

```
<pre>
<donri> meebey: Gtk.IconTheme
<donri> meebey: bool Gtk.IconTheme.Default.HasIcon("smuxi-frontend-gnome")
<donri> meebey: Gdk.Pixbuf Gtk.IconTheme.Default.LoadIcon("smuxi-frontend-gnome", 24, 0)
<donri> if null use old loading mechanism
<donri> Not sure if that's needed to use theme icons on the tabs
<donri> Mainly because I don't know how you currently load 'em :)
</pre>
```

09/11/2010 09:24 AM - Mirco Bauer

- *Target version set to 0.10*

12/03/2011 01:15 PM - Mirco Bauer

- *Status changed from New to Closed*

- *% Done changed from 0 to 100*

Applied in changeset commit:"e5d694e3ec01656546791b1a43762e4166fa5231".

12/29/2011 04:49 PM - Mirco Bauer

- *Target version changed from 0.10 to 0.8.9*