

Smuxi Issues [FROZEN ARCHIVE] - Feature # 93: screensaver / typing break support

| | | | |
|---------------------|--|---------------------|----------------|
| Status: | New | Priority: | High |
| Author: | Mirco Bauer | Category: | Frontend GNOME |
| Created: | 08/03/2008 | Assigned to: | Mirco Bauer |
| Updated: | 08/09/2013 | Due date: | |
| Complexity: | | | |
| Subject: | screensaver / typing break support | | |
| Description: | When the screensaver is active, the frontend should set the away status. A more specific away message could be used for the GNOME "typing break" feature, as the user will be away unexpectedly. This should be implemented as plugin. | | |

History

08/21/2010 10:28 AM - Mirco Bauer

- Target version changed from 0.8 to TBD

08/28/2011 12:26 PM - Mirco Bauer

For the screensaver there is this DBus API:

<http://git.gnome.org/browse/gnome-screensaver/tree/doc/dbus-interface.xml>

Also see:

http://live.gnome.org/GnomeScreensaver/FrequentlyAskedQuestions#Is_there_a_way_to_perform_actions_when_the_screensaver_activates_or_deactivates.3F_Or_when_the_session_becomes_idle.3F

08/09/2013 08:18 PM - Infinity Zero

This should work gracefully when multiple frontends are connected. For example:

- A goes active
- B goes active
- B goes idle

the status here should still be "unaway" rather than "away".