

Smuxi - Feature # 93: screensaver / typing break support

Status:	New	Priority:	High
Author:	Mirco Bauer	Category:	Frontend GNOME
Created:	08/03/2008	Assigned to:	Mirco Bauer
Updated:	08/09/2013	Due date:	
Complexity:			
Subject:	screensaver / typing break support		
Description:	When the screensaver is active, the frontend should set the away status. A more specific away message could be used for the GNOME "typing break" feature, as the user will be away unexpectedly. This should be implemented as plugin.		

History

08/21/2010 10:28 AM - Mirco Bauer

- Target version changed from 0.8 to TBD

08/28/2011 12:26 PM - Mirco Bauer

For the screensaver there is this Dbus API:

<http://git.gnome.org/browse/gnome-screensaver/tree/doc/dbus-interface.xml>

Also see:

http://live.gnome.org/GnomeScreensaver/FrequentlyAskedQuestions#Is_there_a_way_to_perform_actions_when_the_screensaver_activates_or_deactivates.3F_Or_when_the_session_becomes_idle.3F

08/09/2013 08:18 PM - Infinity Zero

This should work gracefully when multiple frontends are connected. For example:

- A goes active
- B goes active
- B goes idle

the status here should still be "unaway" rather than "away".