# Smuxi Issues [FROZEN ARCHIVE] - Bug # 951: XMPP: bad user experience when message from server 'foou

Status:	New	Priority:	Normal	
Author:	Andrés G. Aragoneses	Category:	Engine XMPP (Jabber)	
Created:	01/28/2014	Assigned to:	Oliver Schneider	
Updated:	07/13/2014	Due date:		
Complexity:		_		
Found in Version:	0.11+dev.bzr411			
Subject:	XMPP: bad user experience when message from server 'foouser@axmppservername.net wishes to subscribe to			
Description:	I connect to a XMPP server named axmppservername.net, then I join a room, then a user sees me there and			
	he seems to invite a contact r	request, then Sr	muxi tells me in the "Contacts" tab:	
	'foouser@axmppservername.net wishes to subscribe to you'			
	This is bad because I don't know how to act on that. There doesn't seem to be an /accept command or a			
	/subscribe one that receives the user email id as an argument.			
	Using Smuxi			
	Vendor: Debian 2:0.11+dev.bzr411~ubuntu13.04.1			
	Frontend: GNOME 0.11.0.0			
	Engine: 0.11.0.0			

#### History

### 01/28/2014 05:23 PM - Andrés G. Aragoneses

- Category set to Engine XMPP (Jabber)

#### 01/28/2014 05:33 PM - Andrés G. Aragoneses

- *File HowPidginActs.png added* This is how pidgin does it.

#### 07/13/2014 01:42 PM - Oliver Schneider

> There doesn't seem to be an /accept command or a /subscribe one that receives the user email id as an argument.

it is planned for the future to be similar to pidgin (like clicking a link to accept or deny)

right now you use "/add emailld"

though it could be added to the message as a hint and for copypasting

## 07/13/2014 01:43 PM - Oliver Schneider

- Assigned to set to Oliver Schneider

### Files

HowPidginActs.png

23.5 KB 01/28/2014

Andrés G. Aragoneses