

Smuxi Issues [FROZEN ARCHIVE] - Feature # 901: Client should round-robin sync with core's persistent buffers

Status:	New	Priority:	Normal
Author:	Infinity Zero	Category:	
Created:	11/03/2013	Assigned to:	
Updated:	11/04/2013	Due date:	
Complexity:			
Found in Version:			
Subject:	Client should round-robin sync with core's persistent buffers rather than doing an entire channel.		
Description:	<p>I like to set my persistent buffers quite high but this raises the cost of client sync during a connect. During this time the client is also very unresponsive.</p> <p>"Low bandwidth" option is not really good either as that avoids syncing completely.</p> <p>Instead on fully syncing each channel one-by-one, you should sync all channels by 50 lines, then syncing the next 50 lines (etc) until all channels are completely synced. Perhaps also decrease the priority of the syncing thread, or whatever it is that is hogging all the CPU during this process.</p> <p>Both of these in conjunction, should massively improve average response times.</p>		

History

11/04/2013 08:30 PM - Mirco Bauer
- Tracker changed from Bug to Feature

11/04/2013 08:32 PM - Mirco Bauer
I agree, the long term solution for this issue will be cursor/on demand based syncs. It will by default only load 1.5 - 2 pages per chat per default and only request more if you scroll up, see #546

11/04/2013 08:33 PM - Mirco Bauer
For the record, Smuxi currently uses 4 concurrent syncer threads to compensate expensive network round-trips. The best-case for that will be a single request that fetches all needed state. (a new sync protocol is planned for that)