

Smuxi Issues [FROZEN ARCHIVE] - Support # 721: bad performance with many channels and large history

Status:	Feedback	Priority:	Normal
Author:	Dmitrijs Ledkovs	Category:	
Created:	06/08/2012	Assigned to:	
Updated:	05/06/2016	Due date:	
Subject:	bad performance with many channels and large history		
Description:	<p><pre></p> <p><xnox_> I am not happy</p> <p><xnox_> smuxi was eating 100% cpu on my server</p> <p><xnox_> and reconnecting to server was painfully slow upto 10 minutes to load up the channel user lists & the backlogs</p> <p><xnox_> and I only had something like 20 channels open</p> <ul style="list-style-type: none"> * xnox_ maybe fiddled with persistent storage settings too much <p><xnox_> overall I'm using xchat right now</p> <p><xnox_> should i be using daily PPA or will that not make a difference</p> <p><Cobrian> Sounds like a bug to me</p> <p><Cobrian> I don't think meebeey has fiddled with the server side too much lately</p> <p><Cobrian> Was the 100% CPU condition on from server start or did it appear after extended use?</p> <p><Cobrian> (how long was the server component on before you had problems?)</p> <p><xnox_> like a few weeks</p> <p><xnox_> i killed and restarted the server</p> <p><xnox_> reconnecting from the client cause it to go into 100% cpu again</p> <p><xnox_> and taking forever to load the backlog.</p> <p><xnox_> Cobrian: how long does a reconnect to the server take for you? (and reload all the channels)</p> <p><Cobrian> Uhh, at 9 channels currently, with a 50k persistent buffer, maybe a minute with my 100Mbps line?</p> <p><Cobrian> Haven't really timed it, fast enough for me to not really mind</p> <p><Cobrian> Oh right, and it's a bit slower than that since I only have g-WLAN, so 54mbit maximum</p> <p><Cobrian> I doubt such bandwidth is really even required, it's more about parsing the buffers at both ends, maybe</p> <p><Cobrian> I remember how meebeey spent several weeks just making sure he had squeezed as much speed out of the parser as possible</p> <p><xnox_> well I have 100Mbps & 50k persistent buffer and it takes on the range of 15-20 minutes to get all the channels & backlogs</p> <p><xnox_> I have about 20 channels</p> <p><xnox_> something is not right, maybe my server is throttled?</p> <p><Cobrian> Might be, shouldn't take that long</p> <p><Cobrian> Is it a physical server or a virtual one?</p> <p><xnox_> ec2 micro</p> <p><xnox_> virtual</p> <p><xnox_> how to migrate servers correctly?</p> <p><xnox_> smuxi server that is</p> <p><Cobrian> Hmm. The connect phase does use up some cycles, but I'm not familiar with cloud farms to know how badly they start throttling cpu use if they detect a sudden spike</p> <p><xnox_> \$ du --si -s .local/share/smuxi/*</p> <p><xnox_> 151M .local/share/smuxi/buffers</p> <p><xnox_> 60M .local/share/smuxi/logs</p> <p><xnox_> and the server has 5Mbit/s symetric link or so</p> <p><Cobrian> Copying those over should be enough, although I might consider clearing the buffer dir and deleting the original ini file</p> <p><xnox_> if I have to redownload *everything* every single time that's bad.</p> <p><Cobrian> And setting it up again</p>		

<xnox_> I see no local artifacts, so does it not cache locally and synchronise the delta with the server?
<Cobrian> No local caches
<xnox_> that means I should move my server to LAN, but that will suck when I go away to a conference
<Cobrian> Set your scrollbacks to be shorter, that might help
<xnox_> which one of the settings? cause I still want full logs, at least on the server.... but then notifications will be wrong =(
<Cobrian> Buffer lines
<Cobrian> That's the amount the client will download on connect
<xnox_> It was exceptionaly useful to suspend, move to new meeting room, resume and get the messages across during the UDS
<Cobrian> At some point there should be a system which will download more scrollback when you scroll past the local client cache
<Cobrian> But that's still in development I think
<xnox_> yeah something like <http://www.smuxi.org/issues/show/591> but on steroids
<xnox_> do last bandwidth connection, and then start sync up
<Cobrian> There should be a ticket for it...
<xnox_> but I don't understand the reasons for not downloading / keeping historic cache locally
<xnox_> apart from 'not developed yet'
<xnox_> =)
<Cobrian> It's kept in memory I believe, at least my current backlog is loads longer than the 2000 I have my buffer set at
<Cobrian> As long as you don't quit the client, it should just delta
<xnox_> but I do want to quick my client =/
<xnox_> s/quick/quit
* xnox_ does reboot testing
<Cobrian> But the buffer type labels in the preferences are a bit unclear
<xnox_> of kernel/filesystems/installer etc.
<Cobrian> Well, that's what you get for running stuff on a testbed :D
* xnox_ only has one machine =((((
<xnox_> and no VM is not bare metal testing
<Cobrian> Get a xenclient base and do two VM's on your workstation machine
<Cobrian> Xenclient is as close as
<Cobrian> Especially when you can pick which VM gets hardware level access
* xnox_ works on linux and doesn't like citrix name...
<Cobrian> I tried it, only reason I didn't continue was that my fingerprint reader didn't work and the fact it kept doing weird artefacts on screen sometimes
<Cobrian> Xen stuff is basically a minimal linux that runs the vm base layer
<xnox_> <http://www.smuxi.org/issues/show/685> ?
<Cobrian> Yeah, that and just wayback scrolling, first to engine buffer and then over to logs, even
<Cobrian> There's been talk some time back but I guess meebley just hasn't found a good way to bring it about
<xnox_> so right now my option is to move the server to LAN or to continue using xchat, which is actually very nice
<xnox_> and I am not going to use irssi
<Cobrian> Well, yeah, unfortunately, unless meebley is lurking and decides to help you debug the server side, because I'm still convinced it's either a bug caused by you doing the move instead of installing a new engine from scratch altogether, or a problem caused by EC2
<xnox_> i never moved the engine
<xnox_> i want to move it now, due to performance
</pre>

History

06/11/2012 10:50 AM - Mirco Bauer

This sounds like an issue with the persistent message buffer which is stored in the db4o database. I am working on a new message backend which will be leveldb based and should use much less resources, memory and CPU wise. See #717 for more details.

05/06/2016 04:44 PM - Mirco Bauer

- *Status changed from New to Feedback*

Smuxi uses SQLite now, can you re-test and say if the situation improved? Our benchmarks showed SQLite is much faster.